

Leopard



www.thornlighting.co.uk/LPRD

Series of vandal resistant luminaires for wall or ceiling mounting, in black or white with opal or prismatic diffusers



- Sealed to IP65 for exterior applications when supplied gasket fitted
- Energy saving sensor options, luminaire is activated when movement has been detected, then will switch off
- 28W 2D integral emergency version as standard
- LED version with sensor and emergency lighting options

Materials/Finish

Bodies: polycarbonate, black or white
Diffusers: polycarbonate opal and clear honeycomb prismatic
Geartray: Pre-coated steel

Installation/Mounting

Suitable for surface mounting with rear BESA provision, side entry (25mm conduit) for through wiring with entry into 3 way terminal block suitable to accept 2 x 2.5mm. Vandal resistant screw kit available as an accessory. Sensor options have adjustments for sensitivity, daylight and activated period.
All internal components are fixed to a white pre-coated gear tray which has a unique (tool free) click fit into base. Switch start and High Frequency ballast, 240V 50/60 Hz

Specification

To specify state:
Polycarbonate bulkhead with black/white base, tool-less gear tray fixation.
With unique honeycomb prismatic or opal diffuser.
As Thorn Leopard.



Lamps

	LED	15W
	TC-DDEL (FSS)	GR10q 16-38W
	TC-DD (FSS)	GR8 16W

Standards

	EN 60598	IP65	IK10	T _a 25	850°C

Ordering Guide

Supplied complete with lamp/LEDs

Description	Wt (kg)	SAP Code	Cat. No.
Leopard LED			
LEOPARD 1250 LED OP RD WHI L840	1.30	96240254	LER1250ZOPW
LEOPARD 1250 LED E3 OP RD WH L840	1.60	96240256	LER1250ZEOPW
LEOPARD 1250 LED MWS OP RD WH L840	1.30	96240255	LER1250ZSOPW
LEOPARD 1250 LED MWS E3 OP RD WH L840	1.60	96240257	LER1250ZSEOPW
Leopard			
LEOPARD 1X16W TC-DD HF OP RD BLK L830	1.10	96238457	LER116ZOPB
LEOPARD 1X16W TC-DD HF OP RD WHI L830	1.10	96238458	LER116ZOPW
LEOPARD 1X16W TC-DD HF OP SQ BLK L830	1.10	96238461	LES116ZOPB
LEOPARD 1X16W TC-DD HF OP SQ WHI L830	1.10	96238462	LES116ZOPW
LEOPARD 1X16W TC-DD HF PR RD BLK L830	1.10	96238459	LER116ZPRB
LEOPARD 1X16W TC-DD HF PR RD WHI L830	1.10	96238460	LER116ZPRW
LEOPARD 1X16W TC-DD HF PR SQ BLK L830	1.10	96238463	LES116ZPRB
LEOPARD 1X16W TC-DD HF PR SQ WHI L830	1.10	96238464	LES116ZPRW
LEOPARD 1X16W TC-DD NC OP RD BLK L830	1.30	96230477	LER116SOPB
LEOPARD 1X16W TC-DD NC OP RD WHI L830	1.30	96230478	LER116SOPW
LEOPARD 1X16W TC-DD NC OP SQ BLK L830	1.30	96230479	LES116SOPB
LEOPARD 1X16W TC-DD NC OP SQ WHI L830	1.30	96230480	LES116SOPW
LEOPARD 1X16W TC-DD NC PR RD BLK L830	1.30	96230481	LER116SLPRB
LEOPARD 1X16W TC-DD NC PR RD WHI L830	1.30	96230482	LER116SLPRW
LEOPARD 1X16W TC-DD NC PR SQ BLK L830	1.30	96230483	LES116SLPRB
LEOPARD 1X16W TC-DD NC PR SQ WHI L830	1.30	96230484	LES116SLPRW
LEOPARD 1X28W TC-DDEL HF OP RD BLK L840	1.80	96230493	LER128ZOPB
LEOPARD 1X28W TC-DDEL HF OP RD WHI L840	1.80	96230494	LER128ZOPW
LEOPARD 1X28W TC-DDEL HF OP SQ BLK L840	1.80	96230495	LES128ZOPB
LEOPARD 1X28W TC-DDEL HF OP SQ WHI L840	1.80	96230496	LES128ZOPW
LEOPARD 1X28W TC-DDEL HF PR RD BLK L840	1.80	96230497	LER128ZPRB
LEOPARD 1X28W TC-DDEL HF PR RD WHI L840	1.80	96230498	LER128ZPRW
LEOPARD 1X28W TC-DDEL HF PR SQ BLK L840	1.80	96230499	LES128ZPRB
LEOPARD 1X28W TC-DDEL HF PR SQ WHI L840	1.80	96230500	LES128ZPRW
LEOPARD 1X28W TC-DDEL CP OP RD BLK L840	1.90	96233791	LER128SOPB
LEOPARD 1X28W TC-DDEL CP OP RD WHI L840	1.90	96233792	LER128SOPW
LEOPARD 1X28W TC-DDEL CP OP SQ BLK L840	1.90	96233793	LES128SOPB
LEOPARD 1X28W TC-DDEL CP OP SQ WHI L840	1.90	96233794	LES128SOPW
LEOPARD 1X28W TC-DDEL CP PR RD BLK L840	1.90	96233795	LER128SPRB
LEOPARD 1X28W TC-DDEL CP PR RD WHI L840	1.90	96233796	LER128SPRW

Description	Wt (kg)	SAP Code	Cat. No.
Leopard			
LEOPARD 1X28W TC-DDEL CP PR SQ BLK L840	1.90	96233797	LES128SPRB
LEOPARD 1X28W TC-DDEL CP PR SQ WHI L840	1.90	96233798	LES128SPRW
LEOPARD 1X38W TC-DDEL HF OP RD BLK L840	1.80	96238465	LER138ZOPB
LEOPARD 1X38W TC-DDEL HF OP RD WHI L840	1.80	96238466	LER138ZOPW
LEOPARD 1X38W TC-DDEL HF OP SQ BLK L840	1.80	96238469	LES138ZOPB
LEOPARD 1X38W TC-DDEL HF OP SQ WHI L840	1.80	96238470	LES138ZOPW
LEOPARD 1X38W TC-DDEL HF PR RD BLK L840	1.80	96238467	LER138ZPRB
LEOPARD 1X38W TC-DDEL HF PR RD WHI L840	1.80	96238468	LER138ZPRW
LEOPARD 1X38W TC-DDEL HF PR SQ BLK L840	1.80	96238471	LES138ZPRB
LEOPARD 1X38W TC-DDEL HF PR SQ WHI L840	1.80	96238472	LES138ZPRW
LEOPARD 1X38W TC-DDEL CP OP RD BLK L840	2.20	96230509	LER138SOPB
LEOPARD 1X38W TC-DDEL CP OP RD WHI L840	2.20	96230510	LER138SOPW
LEOPARD 1X38W TC-DDEL CP OP SQ BLK L840	2.20	96230511	LES138SOPB
LEOPARD 1X38W TC-DDEL CP OP SQ WHI L840	2.20	96230512	LES138SOPW
LEOPARD 1X38W TC-DDEL CP PR RD BLK L840	2.20	96230513	LER138SPRB
LEOPARD 1X38W TC-DDEL CP PR RD WHI L840	2.20	96230514	LER138SPRW
LEOPARD 1X38W TC-DDEL CP PR SQ BLK L840	2.20	96230515	LES138SPRB
LEOPARD 1X38W TC-DDEL CP PR SQ WHI L840	2.20	96230516	LES138SPRW
Leopard Emergency			
LEOPARD 1X28W TC-DDEL HF E3 OP RD BLK 40	2.80	96230485	LER128ZEOPB
LEOPARD 1X28W TC-DDEL HF E3 OP RD WHI 40	2.80	96230486	LER128ZEOPW
LEOPARD 1X28W TC-DDEL HF E3 OP SQ BLK 40	2.80	96230487	LES128ZEOPB
LEOPARD 1X28W TC-DDEL HF E3 OP SQ WHI 40	2.80	96230488	LES128ZEOPW
LEOPARD 1X28W TC-DDEL HF E3 PR RD BLK 40	2.80	96230489	LER128ZEPRB
LEOPARD 1X28W TC-DDEL HF E3 PR RD WHI 40	2.80	96230490	LER128ZEPRW
LEOPARD 1X28W TC-DDEL HF E3 PR SQ BLK 40	2.80	96230491	LES128ZEPRB
LEOPARD 1X28W TC-DDEL HF E3 PR SQ WHI 40	2.80	96230492	LES128ZEPRW

Leopard




www.thornlighting.co.uk/LPRD

Series of vandal resistant luminaires for wall or ceiling mounting, in black or white with opal or prismatic diffusers




Description	Wt (kg)	SAP Code	Cat. No.
Leopard Sensor versions			
LEOPARD 1X28W TC-DDELHF MWS OPRD BLK L84	1.90	96239796	LER128ZSOPB
LEOPARD 1X28W TC-DDELHF MWS OPRD WHI L84	1.90	96239797	LER128ZSOPW
LEOPARD 1X28W TC-DDELHF MWS OPSQ BLK L84	1.90	96239799	LES128ZSOPB
LEOPARD 1X28W TC-DDELHF MWS OPSQ WHI L84	1.90	96239800	LES128ZSOPW
LEOPARD 1X28W TC-DDELHF MWS PRRD BLK L84	1.90	96239801	LER128ZSPRB
LEOPARD 1X28W TC-DDELHF MWS PRRD WHI L84	1.90	96239802	LER128ZSPRW
LEOPARD 1X28W TC-DDELHF MWS PRSQ BLK L84	1.90	96239803	LES128ZSPRB
LEOPARD 1X28W TC-DDELHF MWS PRSQ WHI L84	1.90	96239804	LES128ZSPRW
LEOPARD 1X28WTC-DDELHF MWS E3OPRD BK L84	2.90	96239805	LER128ZSEOPB
LEOPARD 1X28WTC-DDELHF MWS E3OPRD WH L84	2.90	96239806	LER128ZSEOPW
LEOPARD 1X28WTC-DDELHF MWS E3OPSQ BK L84	2.90	96239807	LES128ZSEOPB
LEOPARD 1X28WTC-DDELHF MWS E3OPSQ WH L84	2.90	96239808	LES128ZSEOPW
LEOPARD 1X28WTC-DDELHF MWS E3PRRD BK L84	2.90	96239809	LER128ZSEPRB
LEOPARD 1X28WTC-DDELHF MWS E3PRRD WH L84	2.90	96239810	LER128ZSEPRW
LEOPARD 1X28WTC-DDELHF MWS E3PRSQ BK L84	2.90	96239811	LES128ZSEPRB
LEOPARD 1X28WTC-DDELHF MWS E3PRSQ WH L84	2.90	96239812	LES128ZSEPRW
Leopard Accessories			
LEOPARD 1X28W TC-DD HF E3 CONVERSION KIT	1.50	96010367	LE128EKIT
LEOPARD PHOTOCELL KIT	0.30	96010365	LEPKIT
LEOPARD VANDAL PROOF SCREW KIT	0.10	96010366	LEVPKIT

To make reading our ordering guides easier please use the SAP description key fold out, inside the front and back cover. For more information please visit our website www.thornlighting.co.uk and simply search our products.



16W SQ

28/38W/LED RD



16W RD

28/38W SQ

